First of four pages

| POPULATION ESTIMATES | LONG-TERM CARE | LOCAL HEALTH DEPARTMENTS | | | |
|---|--|---|--|--|--|
| Total 2001 Population 152,3 | : | Per 10,000 | | | |
| Population per square mile 5 County ranking in state (1-72) | Clients Costs COP 198 \$1,130,118 MA Waiver * | Ctaffina FTF Number Danilities | | | |
| Age Female Male Tot | L MA Waiver * | Professional staff 28 1.8 | | | |
| 0-14 16,590 17,880 34,4 | CIP1A 28 \$1,186,118 CIP1B 168 \$3,744,195 CIP2 99 \$1,314,752 COP-W 283 \$3,070,866 | Technical/Paraprof. 2 0.1 | | | |
| 15-19 | O CIP1B 168 \$3,744,195 O CIP2 99 \$1,314,752 | Support staff 4 0.3 | | | |
| 25-29 | O COP-W 283 \$3,070,866 | I I Funding | | | |
| 30-34 5,580 5,690 11,2 | O CSLA | Total \$3,482,631 \$23.07 | | | |
| 35-39 6,740 6,870 13,6 40-44 6,460 6,480 12,9 | | Funding | | | |
| 45-54 |) TOTAL COP/WVIS 636 \$10,666,161 | LICENSED ESTABLISHMENTS | | | |
| 55-64 6,060 5,920 11,9 |) | i | | | |
| 65-74 | were paid as local match/overmatch | Type Capacity Facilities Bed & Breakfast 9 3 Camps 576 7 Hotels, Motels 1,304 39 Tourist Rooming 4 1 Pools 70 Restaurants 609 | | | |
| 85+ 1,590 610 2,2 | O I not included in above COP costs | I Camps 576 7 | | | |
| Total 76,830 75,520 152,3 |) | Hotels, Motels 1,304 39 | | | |
| Ann Famala Mala Tak | * Waiver costs reported here | Tourist Rooming 4 1 | | | |
| Age Female Male Tot 19,950 21,320 41,2 | i include rederal funding. | POOLS | | | |
| 18-44 30,650 31,360 62,0 | O i Clients Costs | Vending 25 | | | |
| 45-64 15,750 15,850 31,5 | | | | | |
| 45-64 | 9 Waiting 410 n/a 9 | | | | |
| Total | (Family Care not provided in county) | WIC PARTICIPANTS | | | |
| Poverty Estimates for 2000 | | | | | |
| Estimate (C.I.+/ |) 3 Note: Eligible and waiting clients | Number Pregnant/Postpartum 1,590 | | | |
| 7.5% (5% | will be phased into the COP and MA | Pregnant/Postpartum 1,590 Infants 1,788 | | | |
| All ages | 7 Waivers as available. | Children, age 1-4 2,193 | | | |
| 9.9% (7% | ļ | Total 5,571 | | | |
| EMPLOYMENT | | CANCER INCIDENCE | | | |
| Average wage for jobs covered | Home Health Agencies 2 | | | | |
| by unemployment compensation \$31,7 | Patients 832 Patients per 10,000 pop. 55 | 1999 | | | |
| Note: based on place of work Annu | Patients per 10,000 pop. 55 | Primary Site Number Breast 117 | | | |
| Labor Force Estimates | Nursing Homes 9 | Cervical 19 | | | |
| | Licensed beds 1,135 | Colorectal 74 | | | |
| Civilian Labor Force 81,8 | o UCCUPANCY rate 80.0% O Residents on Dec 31 991 | Trachea, Bronchus, Lung 110 Prostate 79 | | | |
| Number unemployed 4,0 | Residents age 65 or older | Other sites 237 | | | |
| Unemployment rate 4 | Nursing Homes 9 Licensed beds 1,135 Occupancy rate 80.0% Residents on Dec.31 901 Residents age 65 or older per 1,000 population 48 | Total 636 | | | |
| | | | | | |

| | | | NATA | LITY | | | | |
|---|--|--|---|---|--|--|-----------------------------|--|
| TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat | e | 2,119 13.9 62.3 | Birth Order First Second Third Fourth or higher | Births 817 761 320 221 | Percent 39 36 15 10 0 | Marital Status of Mother Married Not married Unknown | Births 1,418 701 0 | Percent 67 33 0 |
| Live births with report congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean Other or unknown | 2 | Percent 2 | Unknown First Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown Number of Prenatal | 0 Births 1,753 280 53 26 7 | Percent 83 13 3 1 <.5 | Education of Mother Elementary or le Some high school High school Some college College graduate Unknown Smoking Status | 304 739 455 | Percent 3 14 35 21 26 <.5 |
| Birthweight <1,500 gm | | Percent 1.5 6.1 92.4 0 | Care visits No visits 1-4 5-9 10-12 13+ Unknown | Births 25 37 300 865 879 13 | Percent 1 2 14 41 41 1 | of Mother Smoker Nonsmoker Unknown | Births 336 1,781 2 | Percent 16 84 <.5 |
| Race of Mother White Black Other Unknown | Births P 1,884 180 55 0 | ercent 89 8 3 0 | Low Birthweight (under 2,500 gm) Births Percent 136 7.2 23 12.8 1 1.8 | 1,584 124 45 | Trimest imester Percent | 233 12 37 21 10 18 | Other/ Births | Unknown Percent 4 11 |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Fe Births 2 71 149 481 578 535 251 | rtility Rate 21 70 99 118 96 37 | low Birthweight | 1st Tr | Trimest | er of First Prenata 2nd Trimester Births Percent * . 23 32 28 19 76 16 73 13 50 9 24 10 | Other/ | 'Unknown Percent 10 8 5 3 2 4 |
| 40+ Unknown Teenage Births | 52 0 222 | 8 41 | 11 21.2 | 44 | 85 | 5 10 · · · | ss than 5 | 6 |

| MORBIDITY | | | MO F | RTALITY | | | |
|---|--|-------------|----------------|---|--------------------|--------------|--|
| ! | Note: Death rates (except infant) are per 100,000 population. Infant, | | | | | | |
| REPORTED* CASES OF SELECTED DISEASES | neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus | | | | | | |
| I KELOKIED, CASES OF SELECTED DISEASES | FELTILIALAL ALIC fetal deaths | Rates a | are not cal | are per 1,000 live birth | S plus O deaths | - | |
| | j fetal deaths. Rates are not calculated for fewer than 20 deaths. | | | | | | |
| Disease Number | TOTAL DEATHS | | 1,228 | Selected | | İ | |
| Campylobacter Enteritis 16 | TOTAL DEATHS Crude Death Rate | | 805 | Underlying Cause | Deaths | Rate į | |
| GlalulaSiS 21 | ! | | | Heart Disease (total) | | 226 | |
| Hepatitis Type A <5 Hepatitis Type B** 9 | 1 4 | Deaths | Doto | Ischemic heart diseas | | 167 | |
| Hepatitis Type B** 9 Hepatitis NANB/C 87 | Age 1-4 | Deaths 1 | | Cancer (total) Trachea/Bronchus/Lung | 278 | 182 51 | |
| Legionnaire's 0 | 1-4 5-14 | 4 | | i Coloroctal | 7.7 | 18 | |
| Lyme <5 | i 15-19 | 4 | • | ! | 27 | 35* İ | |
| Measles 0 | 20-34 | 25 | 81 | Cerebrovascular Diseas | e 101 | 66 j | |
| Meningitis, Aseptic 26 | j 35-54 | 152 | 81 329 | Lower Resp. Disease Pneumonia & Influenza | 87 | 57 j | |
| Meningitis, Bacterial <5 | | 111 | 926 | Pheumonia & Inituenza | 33 | 22 j | |
| Mumps 0 Pertussis 6 | 65-74 75-84 | 207 | 2,312 5,961 | Accidents | 55 10 | 36 j | |
| Salmonellosis 27 | /5-84 85+ | 377 | 15,209 | Motor vehicle Diabetes | 19 56 | . I 37 I | |
| Shigellosis 6 | 651 | 330 | 13,209 | Diabetes Infectious & Parasitic | 12 | 3/ | |
| Tuberculosis <5 | | | | Infectious & Parasitic Suicide | 25 | 16 l | |
| | Infant | | | | | i | |
| * 2001 provisional data | Mortality | Deaths | Rate | * Rate for female brea | | based | |
| ** Includes all positive HBsAg | Total Infant | 11 | • | on female popula | tion. | ļ | |
| test results | Neonatal | 8 | • | I ALCOHOL AND DRUG ABUSE | AC HINDEDI | VINC I | |
| | Infant Mortality Total Infant Neonatal Postneonatal Unknown | | • | OR CONTRIBUTING CAU | | | |
| Sexually Transmitted Disease | | • | · | İ | | i | |
| Chlamydia Trachomatis 511 | Race of Mother | | | Alcohol Other Drugs Both Mentioned | 23 | 15 j | |
| Genital Herpes 69 | White | 8 | • | Other Drugs | 21 | 14 | |
| Gonorrhea 125 Syphilis 6 | Black Other | 2 1 | • | Both Mentioned | 5 | . ! | |
| Syphilis 6 | l Unknown | | | I MOTOR VEHICL | E CRASHES | | |
| | GIIKHOWH | • | • | I HOTOK VEHICE | L CIVISILS | i i | |
| | Birthweight | | | Note: These data are | based on 1 | ocation | |
| IMMUNIZATIONS | <1,500 gm 1,500-2,499 gm | 6 | • | of crash, not o | n residenc | e. Į | |
| Children in Carden I/ 12 has | 1,500-2,499 gm | 1 | | T of Matan | D | | |
| Children in Grades K-12 by Compliance Level | 2,500+ gm Unknown | 4 | | Type of Motor | Persons F | ersons | |
| I Compliant 29 119 | I OTIKITOWIT | • | • | Total Crashes | 7 151 | 30 1 | |
| Non-compliant 330 | i i | | | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | 249 | 14 i | |
| Compliant 29,119 Non-compliant 330 Percent Compliant 98.9 | Perinatal | | | With Citation: | | | |
| 1 | Mortality | Deaths | Rate | I For OWI | 154 | 1 j | |
| | Total Perinatal | 20 | 9.4 | For Speeding | 131 | 9 [| |
| | Total Perinatal Neonatal Fetal | 8 12 | • | For Speeding Motorcyclist Bicyclist | 86 47 | 2 j 0 j | |
| | ı relal | 12 | • | Bicyclist Pedestrian | ., | ⊍ 4 | |
| | l | | | 1 Teuesti iaii | 43 | ' | |

Per Average Charge | Per Average Charge | DISEASE / 1,000 Stay Average Per | DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita | AGE GROUP Number Pop (Days) Charge Capita Injury-Related: All Alcohol-Related Total 1,293 8.5 4.8 \$15,872 <18 126 3.1 3.5 \$12,320 18-44 365 5.9 4.0 \$15,274 45-64 298 9.4 4.4 \$15,546 65+ 504 28.8 6.1 \$17,387 Total 328 2.2 4.1 \$5,866 18-44 197 3.2 3.1 \$3,770 45-64 100 3.2 5.4 \$9,177 \$135 \$13 \$38 \$12 \$90 \$29 \$147 Pneumonia and Influenza Total 538 3.5 5.3 \$11,376 <18 97 2.4 2.7 \$5,071 45-64 99 3.1 6.0 \$13,895 65+ 289 16.5 6.2 \$12,730 \$501 \$40 Injury: Hip Fracture \$12 Total 152 1.0 7.2 \$21,268 65+ 138 7.9 7.2 \$21,177 \$21 \$44 \$167 \$210 Injury: Poisonings
Total 121 0.8 2.1 \$5,733 \$5
18-44 76 1.2 1.9 \$5,402 \$7 Cerebrovascular Disease Total 564 3.7 4.8 \$16,161 45-64 111 3.5 4.5 \$19,256 65+ 428 24.5 4.8 \$14,698 \$60 \$68 \$360 Chronic Obstructive Pulmonary Disease Psychiatric
 Total
 1,080
 7.1
 7.7
 \$6,571

 <18</td>
 234
 5.7
 7.7
 \$6,211

 18-44
 560
 9.0
 7.2
 \$5,819

 45-64
 176
 5.6
 8.2
 \$7,453

 65+
 110
 6.3
 9.8
 \$9,755
 Total 441 2.9 4.0 \$7,676
<18 78 1.9 2.0 \$3,071
18-44 71 1.1 3.3 \$5,656
45-64 102 3.2 3.9 \$8,645
65+ 190 10.9 5.1 \$9,801

Drug-Related \$47 \$22 \$35 \$53 \$6 \$42 \$28 \$61 \$106 Drug-Related Total 78 0.5 5.9 \$5,153 18-44 51 0.8 3.8 \$3,690 Coronary Heart Disease \$3 Total 843 5.5 4.5 \$28,151 45-64 314 9.9 3.6 \$28,624 65+ 486 27.8 5.1 \$28,219 \$156 \$284 \$784 | Total Hospitalizations Total 17,818 116.8 4.3 \$11,539 \$1,348 <18 3,304 80.1 3.1 \$5,175 \$414 18-44 4,961 80.0 3.4 \$8,758 \$701 45-64 3,553 112.4 4.6 \$15,234 \$1,713 65+ 6,000 343.1 5.5 \$15,156 \$5,200 Malignant Neoplasms (Cancers): All Total 606 4.0 6.2 \$21,727 18-44 68 1.1 5.3 \$27,017 45-64 210 6.6 5.4 \$20,690 65+ 321 18.4 6.9 \$20,796 \$86 | \$30 \$137 \$382 ----- PREVENTABLE HOSPITALIZATIONS* ------Neoplasms: Female Breast (rates for female population) | Total 2,464 16.2 4.5 \$9,412 \$152 <18 355 8.6 2.3 \$4,429 \$38 18-44 363 5.9 3.5 \$7,863 \$46 45-64 486 15.4 4.6 \$10,690 \$164 65+ 1,260 72.1 5.4 \$10,770 \$776 Total 51 0.7 2.4 \$13.375 \$9 Neoplasms: Colo-rectal Total 77 0.5 9.9 \$28,381 65+ 60 3.4 10.3 \$29,362 \$14 \$101 Neoplasms: Lung Total 65 0.4 6.0 \$19,310 * Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 2001 Diabetes Total 207 1.4 4.9 \$12,569 \$17 65+ 59 3.4 6.3 \$14,551 \$49 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.